

Call for tenders' details

Title: Provision of syndicated work area recovery site.

Start date: 08/10/2016

Time limit for receipt of tenders: 10/11/2016

Contracting authority: European Medicines Agency (EMA)

Status: Closed

Call for tenders question list

Call for tenders questions summary

#	Submission date	Publication date	Question subject	Question	Answer
1	14/10/2016 12:51	14/10/2016 12:52	Minimum requirements	<p>Upon review, our company has two recovery centres that fully meet your criteria for the provision of Business Continuity Services, we would propose to nominate the XXXXX Recovery Centre the Primary facility and our Recovery Centre in XXXXXX as the secondary backup facility. The combined syndicated total for these two sites is XXXXX positions, further capacity can be facilitated from our Recovery Centres located at various locations however these particular locations are not manned 24x7. Our company is very keen to participate in this process and requests confirmation if your organisation is happy for us to participate with a two site solution as opposed to three sites as requested.</p>	<p>14/10/2016 As indicated in section 3.1 of the technical specifications in addition to the primary site, tenderers are required to propose at least two secondary sites to be used by the Agency.</p> <p>Furthermore, section 3.2 of the technical specifications lists all minimum requirements which must be met by the tenderer in order for the tender to be considered compliant. The requirement for 24/7 man-guarding presence applies to both primary site as well as secondary sites. Therefore, any tenderer unable to propose one primary site and at least two secondary sites meeting this requirement will be considered non-compliant and will not be evaluated.</p>